

gültig ab 05.07.2018 / à partir du 05.07.2018



Professional Studio Monitors, Professional Monitoring Systems, Headphones Amplifier/DAC, Headphones/Earbuds & Accessories, Microphones

Seite 3



Recorder, Wireless Systems, ASPEN DSP Audio Components

Seite 4/5/6



Recorders, Mixers with integrated Recorders, Mixer, Audio Tools, Accessories

Seite 7/8



Digital Video Recorder

Seite 9



Miniature Lavalier Microphones, Shotgun Microphones, Earphones, Headsets, Phantom Power Modules

*

* Verlangen Sie unsere separate Preisliste / Demandez la liste de prix séparée

Preis-/Produkteänderungen jederzeit vorbehalten, alle Angaben ohne Gewähr
Changement de prix et de modèles réservés, tous les indications sous toutes réserves sans garantie

Audio Bauer Pro AG, Bernerstrasse-Nord 182, 8064 Zürich
Tel. 044/432'32'30 Fax. 044/432'65'58 e-mail: info@audio-bauerpro.ch
homepage: www.audio-bauerpro.ch www.vt-switzerland.com

ALLGEMEINE VERKAUFS- UND LIEFERBEDINGUNGEN

1 Angebote	Alle Angebote sind freibleibend, sofern nicht ausdrücklich schriftliche, anderslautende Abmachungen getroffen wurden.
2 Katalog + Preislisten	Alle Angaben in unserem Katalog und den Preislisten sind möglichst genau; Preis- und Produkteänderungen sind jederzeit vorbehalten. Alle Angaben sind ohne Gewähr.
3 Aufträge	Mit der Erteilung eines Auftrages anerkennt der Besteller unsere allgemeinen Lieferbedingungen. An uns unbekannte Abnehmer erfolgt die Lieferung gegen Vorauszahlung, falls nicht ausreichende Referenzen angegeben werden. Kommt der Besteller seinen Verpflichtungen uns gegenüber nicht nach, so wird die Lieferung eingestellt.
4 Lieferung	Lieferungen werden so rasch wie möglich ab Lager Zürich ausgeführt. Lieferfristen sind unverbindlich. Für unvorhergesehene Verzögerungen können wir keine Verantwortung übernehmen.
5 Versand/Porto	Grundporto Postpac PRIORITY: Fr. 16.--, EXPRESS-Gebühr wird nach Gewicht verrechnet.
6 Zahlungen	Bei Zahlungen sind Rechnungsnummer und -datum unerlässlich. Alle Rechnungen sind innert 30 Tagen netto ohne Skonto zu bezahlen, sofern nicht andere Konditionen vereinbart wurden. Inkassospesen werden verrechnet. Für verspätete Zahlungen verrechnen wir Verzugszins im Rahmen der gesetzlichen Möglichkeiten.
7 Eigentumsvorbehalt	Die Ware bleibt bis zur vollständigen Bezahlung Eigentum der Audio Bauer Pro AG. Diese kann auf eigene Kosten einen Eigentumsvorbehalt im Betriebsamt/Eigentumsvorbehaltsregister eintragen lassen.
8 Rücksendungen	Rücksendungen werden nur mit unserem vorher einzuholenden Einverständnis angenommen. Nicht durch einen Irrtum von uns notwendig gewordene Rücksendungen werden mit Fr. 30.-- belastet, als Beitrag an unsere Umtriebe und Spesen.
9 Abzüge	Die Zurückhaltung von Zahlungen und die Verrechnung von Forderungen infolge irgendwelcher von uns nicht anerkannter Gegenansprüche ist nicht statthaft.
10 Reklamationen	Reklamationen sind innert 8 Tagen nach Wareneingang anzubringen.
11 Garantie	Für Material- und Konstruktionsfehler an Geräten leisten wir ab Lieferdatum eine 2-jährige Garantie (bei Lectrosonics eine 1-jährige Garantie). Diese erstreckt sich auf kostenlose Instandstellung bzw. Ersatzteillieferung von defekten Teilen. Alle darüber hinausgehenden Ansprüche werden abgelehnt.
12 Gerichtsstand	Erfüllungsort und Gerichtsstand ist Zürich.

CONDITIONS GENERALES DE LIVRAISON

1 Offres	Toutes les offres sont faites sans engagement, pour autant qu'aucun autre accord n'ait été convenu expressément et par écrit au préalable.
2 Catalogue et prix	Toutes les informations données dans notre catalogue et nos prix courants sont aussi exactes que possible; les prix sont dépendent sous réserve de modifications.
3 Commandes	Le client accepte nos conditions de livraison par le fait même qu'il nous passe la commande. Les livraisons à des clients inconnus se font contre paiement anticipé, si les références fournies sont insuffisantes. Au cas où le client ne remplirait pas ses obligations envers nous, la livraison sera suspendue.
4 Livraison	Le livraisons se font le plus rapidement possible, départ magasin de Zurich. Les délais de livraisons sont donnés sans engagement. Nous n'assumons aucune responsabilité en cas de retards imprévus.
5 Expédition	Port de base Postpac PRIORITY Fr. 16.--, Les frais d'express sont chargés par kg. .
6 Paiements	Il est indispensable de mentionner le numéro et la date de la facture lors du paiement. Sauf accord contraire convenue par écrit, toutes les factures sont payables à 30 jours net, sans escompte. Les frais d'encaissement, de timbres de change, etc., seront facturés. Des intérêts de retard de paiement seront facturés, ceci dans le cadre des dispositions légales.
7 Réserve de propriété	La marchandise reste propriété de Audio Bauer Pro AG jusqu'au règlement complet du montant de la facture. Audio Bauer Pro AG a le droit de faire inscrire le contrat d'achat au Registre des pactes de réserve de propriété tenu par l'Office des poursuites du comice de l'acquéreur.
8 Retours	Les retours ne sont acceptés qu'après obtention de notre consentement préalable. Les retours ne résultants pas d'une erreur de notre part entraînent une augmentation de Fr. 30.- en tant que contribution à nos frais supplémentaires.
9 Déductions	Les réserves de paiement ainsi que la facturation de frais quelconques non reconnu par nous ne sont pas admissibles.
10 Réclamations	Les réclamations éventuelles doivent être présentées dans les 8 jours suivant la réception de la marchandise.
11 Garantie	Notre garantie couvre tous défauts apparaissant durant la période de garantie est 2 ans (Lectrosonics 1 an), pour autant qu'ils résultent de la mauvaise qualité du matériel utilisé ou d'une fabrication défectueuse.
12 Lieu du tribunal	Lieu d'exécution et tribunal compétent: Zurich

Brutto (inkl. MwSt.) CHF

Professional Studio Monitors

PM0.5d(B) (Paar)	Powered Studio Monitor, 5" fiber glass diaphragm woofer / 3/4" soft dome tweeter, black	Paar	399
PM0.4c(B) (Paar)	Powered Studio Monitor, 4" fiber glass cone woofer / 3/4" silk soft dome tweeter, black	Paar	239
PM0.4c(W) (Paar)	Powered Studio Monitor, 4" fiber glass cone woofer / 3/4" silk soft dome tweeter, white	Paar	239
PM0.3dH(B) (Paar)	Personal Active Speaker System, 3" LF driver / 3/4" HF driver, black	Paar	169
PM0.3dH(W) (Paar)	Personal Active Speaker System, 3" LF driver / 3/4" HF driver, white	Paar	169
PM0.3d(B) (Paar)	Personal Active Speaker System, 3" LF driver / 3/4" HF driver, black	Paar	159
PM0.3d(G) (Paar)	Personal Active Speaker System, 3" LF driver / 3/4" HF driver, gray	Paar	159
PM0.3d(W) (Paar)	Personal Active Speaker System, 3" LF driver / 3/4" HF driver, white	Paar	159
PM-SUBmini2	5" Active Subwoofer for PM0.3/0.3d and PM0.1	Stk.	169
PC100USB	Volume Controller with USB DAC	Stk.	99
PC100USB-HR2	Volume Controller with USB DAC / 24bit 96kHz, black	Stk.	125
PC-1e(B)	Volume Controller, black	Stk.	35
PC-1e(W)	Volume Controller, white	Stk.	35

Professional Monitoring Systems

6301NB	Active Monitor Speaker, 4" full range speaker, unbalanced 1/4" TS phone	Stk.	309
6301NX	Active Monitor Speaker, unbalanced 1/4" TS phone + transformer balanced XLR	Stk.	359
6301NE	Active Monitor Speaker, unbalanced 1/4" TS phone + electrically balanced XLR	Stk.	329
6301ND	Active Monitor Speaker, unbalanced 1/4" TS phone + AES/EBU digital XLR	Stk.	439
EB-6301	mounting bracket for 6301N/6301B series	Stk.	45
RM-3	Rack Mount Speaker System	Stk.	599

Headphones Amplifier/DAC

HP-A8mk2	32 bit DAC Headphone Amplifier		1199
HP-A4BL	DAC & Headphone Amp, 24bit/192kHz, 11.2Mhz DSD, asym. & sym. headphone output		499
HP-A4	DAC & Headphone Amp, 24bit/192kHz, 5.6 Mhz DSD		419
HP-A3	32bit D/A Converter, Headphone Amp		309

Headphones/Earbuds & Accessories

TH-900mk2	Premium Reference Headphone		1585
ET-H3.0N7BL	Optional balanced cable, for TH-900mk2 and TH-610		339
ET-H3.0N7UB	Replacement cable, unbalanced, for TH-900mk2 and TH-610		319
EX-EP-91	Replacement Ear Pads for TH900mk2, pair		69
TH-610	Stereo Headphones, closed, wood		679
EX-EP-61	Replacement Ear Pads for TH-610, pair		59
EX-EP-50	Replacement Ear Pads for TH500RP, pair		69
EX-EP-07B	Replacement Ear Pads for TH7BK/TH7BL/TH7RD/TH7W /TH-7B/TH-7BB/TH-7W/TH-7 headphones, pair		35
EX-EP-07W	Replacement Ear Pads for TH7BK/TH7BL/TH7RD/TH7W /TH-7B/TH-7BB/TH-7W/TH-7 headphones, pair		35
TH7BK	Stereo Headphones, closed, matte black		99
TH7BL	Stereo Headphones, closed, turquoise blue		99
TH7RD	Stereo Headphones, closed, carmine red		99
TH7WH	Stereo Headphones, closed, shell white		99
EX-EP-05B	Replacement Ear Pads for TH-5B / TH-5BB / TH-5W / TH-5 headphones, pair		35
EX-EP-05W	Replacement Ear Pads for TH-5B / TH-5BB / TH-5W / TH-5 headphones, pair		35
T60RP	RP Stereo Headphones		369
T50RPmk3	RP Type Stereo Headphones, Semi-Open Type		185
T40RPmk3	RP Type Stereo Headphones, Closed Type		185
T20RPmk3	RP Type Stereo Headphones, Open Type		185
ET-RP3.0	Replacement cable for T20RPmk2/mk3, T40RPmk2/mk3 and T50RP/mk3 headphones, 3m		25
ET-RP1.2	Replacement cable for T20RPmk2/mk3, T40RPmk2/mk3 and T50RP/mk3 headphones, 1.2m		25
EX-EP-RPmk3	Replacement earpads for T20RPmk3 / T40RPmk3 / T50RPmk3, pair		39
ST300	Headphone Stand		99
TE04BK	Stereo Earphones, IM shape housing, black		99
TE04BL	Stereo Earphones, IM shape housing, turquoise blue		99
TE04RD	Stereo Earphones, IM shape housing, red		99
TE04WH	Stereo Earphones, IM shape housing, white		99
TE05BK	Inner Ear Headphones, black		115
TE05BZ	Inner Ear Headphones, bronze		115
ET-E1.2	Replacement cable (w/clasp) for TE series, model TE04 & TE05 (also compatibel with the previous TE-05/07)		35
ET-E1.2C	Replacement cable (w/controller) for TE series, model TE04 & TE05 (also compatibel with the previous TE-05/07)		39
ET-H1.2N6	Replacement Cable for TE-07, TE-05, TE05BK, TE05BZ		99

Microphones

MC10ST	Electret Condenser Microphone, Stereo Set		199
MC32	Electret Condenser Microphone, Shotgun		195

Brutto (inkl. MwSt.) CHF

Recorder		
PDR	PORTABLE DIGITAL AUDIO RECORDER	949

Transmitters (Wideband)

SMWB/E01	MINIATURE WIDEBAND TRANSMITTER 2.)	1945
SMDWB/E01	MINIATURE WIDEBAND TRANSMITTER, 2AA 2.)	2045
SSM/E01	MICRO TX, WIDEBAND, LEMO,W/BELT CLIP,BATTERY 1.)	1899
LT/E01	TRANSMITTER, WIDEBAND, INSTRMNT INPUT, RM READY 2.)	1589
LMB/E01	TRANSMITTER, WIDEBAND, BASIC BELT PACK, FIXED ANT, 2 AA 2.)	1119
HMa/E01	PLUG-ON TRANSMITTER, WIDEBAND, 3-BLOCK TUNING, MIC PHNTM POWER, 2 AA	1559
HHa/E01	HANDHELD TRANSMITTER, WIDEBAND, VARIABLE PWR, STD CAPSULE MOUNT	1699
HHC	CARDIOID CONDENSER CAPSULE HEAD FOR HH TRANSMITTER	569
HH2SEN	HH2SEN, ADAPTER FOR HH TRANSMITTER USE WITH SENN G2/G3/2000 HEADS	249
(Ambient) HHA	MICROPHONE-ADAPTER NEUMANN, SKM5000 TO LECTROSONICS HH	199

Transmitters

SMB/E01	MINIATURE TRANSMITTER 2.)	1779
SMDB/E01	MINIATURE TRANSMITTER, 2 AA 2.)	1879
WM/E01	WATER-TIGHT TRANSMITTER, 2 AA, 3.)	1939

1.) +FREE OF CHARGE! Voice Technologies VT500ECO or VT506ECO or VT701MKII Mic. +Lemo 3-Pin connector

2.) +FREE OF CHARGE! Voice Technologies VT500ECO or VT506ECO or VT701MKII Mic. +Standard connector

3.) +FREE OF CHARGE! Voice Technologies VT500WATER or VT506WATER or VT701MKII Mic. +WPMC connector

Transmitter Accessories

SMBATELIM	BATTERY ELIMINATOR FOR SM SERIES TRANSMITTERS	165
LTBATELIM	BATTERY ELIMINATOR FOR LT TRANSMITTERS, NO PSU INCL.	189
40106-1	BATTERY PACK LITHIUM-ION LB-50, 3.6V TYP 1000mAh RECHARGEABLE	59
CHS12LB50	12-BATTERY CHARGING DOCK FOR LB50	1549
26895	REPL. WIRE BELT CLIP FOR LT TRANSMITTERS	19
26995	BELT CLIP FOR SSM TRANSMITTER, ANTENNA DOWN	35
27079	BELT CLIP FOR SSM TRANSMITTER, ANTENNA UP	45
BCSLEBN	BELTCLIP SPRING LOADED, SMALL, DARK GREY, FOR LT TX	59
SMDWBBC	WIRE BELT CLIP FOR SMDWB TRANSMITTER	69
SMDWBBCSL	SPRING LOADED BELT CLIP FOR SMDWB TRANSMITTER	69
SMWBBCDN	WIRE BELT CLIP FOR SMWB TRANSMITTER; ANTENNA DOWN	69
SMWBBCDNSL	SPRING LOADED BELT CLIP FOR SMWB TRANSMITTER; ANTENNA DOWN	69
SMWBBCUP	WIRE BELT CLIP FOR SMWB TRANSMITTER; ANTENNA UP	69
SMWBBCUPSL	SPRING LOADED BELT CLIP FOR SMWB TRANSMITTER; ANTENNA UP	69
SMDBC	MACHINED WIRE BELT CLIP FOR DUAL-BATTERY SM SERIES TRASNMITTERS, ANT. UP/DOWN	69
SMDBCSL	SPRING LOADED BELT CLIP FOR DUAL BATTERY SM-SERIES TRANSMITTERS	69
SMBCDN	MACHINED WIRE BELT CLIP FOR SINGLE-BATTERY SM-TRANSMITTERS, ANT. DOWN	69
SMBCUP	MACHINED WIRE BELT CLIP FOR SINGLE-BATTERY SM-TRANSMITTERS, ANT UP	69
SMBCUPSL	SPRING LOADED BELT CLIP FOR SINGLE BATTERY SM-TRANSMITTERS, ANT UP	69
CCMINI	ZIP POUCH FOR COMPACT WRLS SYSTEM	59
PSMWB	POUCH FOR SMWB TRANSMITTER	45
PSMDWB	POUCH FOR SMDWB TRANSMITTER	45
PSM	POUCH FOR SM TRANSMITTER	45
PSMD	POUCH FOR SMD TRANSMITTER	45
CCHH	POUCH, ZIPPERED, FOR HH TRANSMITTER, BLUE CORDURA	59

Receivers (Wideband)

SRc	WIDEBAND DUAL CH. SLOT-MNT RCVR, AMM ANTENNAS, RCVR ONLY - NO END PLATE KIT	2889
SRc5P	WIDEBAND DUAL CH. SLOT-MNT RCVR, AMM ANTS,EXT. 2-CH OUTPUT, RCVR ONLY-NO END PLATE KIT	3079
LR/E01	MINIATURE DIGITAL HYBRID RECEIVER, WIDEBAND, 2 AA	1519
VENUE 2 (VRM2WBL)	6-CH. MODULAR RECEIVER, 470-691 MHZ (BLK 470-26), EXCL. ANTENNAS & MODULES	3259
VENUE 2 (VRM2WBM)	6-CH. MODULAR RECEIVER, 537-768 MHZ (BLK 21-29), EXCL. ANTENNAS & MODULES	3259
VRT2/E01	TRACKING RECEIVER MODULE ONLY, FOR VENUE2, SPECIFY BLOCK	959

Receivers

SRb/E01	DUAL CH. SLOT-MNT RCVR, AMM ANTENNAS, RCVR ONLY - NO END PLATE KIT	2629
SRb5P/E01	DUAL CH. SLOT-MNT RCVR, AMM ANTS,EXT. 2-CH OUTPUT, RCVR ONLY-NO END PLATE KIT	2799
UCR411A	RCVR, UHF DIG HYBRID, 256 FREQ, TRACKING FILTERS	2269
VR/E01-L	6-CH. MODULAR RECEIVER, 470.1-691.1 MHZ (BLK 470-26), EXCL. ANTENNAS & MODULES	2089
VR/E01-M	6-CH. MODULAR RECEIVER, 537.6-767.9 MHZ (BLK 21-29), EXCL. ANTENNAS & MODULES	2089
VRS/E01	STANDARD RECEIVER MODULE ONLY, FOR VENUE, SPECIFY BLOCK	549
VRT	TRACKING RECEIVER MODULE ONLY, FOR VENUE, SPECIFY BLOCK	749

Receiver Accessories

SRSUPER	UNISLOT ADAPTER FOR SUPERSLOT INTERFACE, INCL. MOUNTING BEZEL/SCREWS	199
SRDB25	END PLATE KIT FOR DB25 SOCKETS, NO BEZEL	159
SREXT	SR CONNECTOR PLATE FOR EXTERNAL CAMERA USE	199
SRSNY	SR END PLATE KIT FOR SONY CAMERAS, INCL. MOUNTING BEZEL/SCREWS	199
SRAES3	SR END PLATE ADAPTER W/AES3 OUTPUTS	499
SRHARNESS	SR BOTTOM PLATE WITH 6' TAILS FOR AUDIO AND DC POWER	239
SRUSB	SR END PLATE / FIRMWARE UPDATE ADAPTER	199
BATTSLED	UNIVERSAL BATTERY SLED FOR L OR M STYLE BATT. PACK	259
SRBATTSLEDTOP	EXT. BTTRY SLED FOR SR RCVR W/ L- or M- STYLE BTTRY (NOT INCL.)	379

Brutto (inkl. MwSt.) CHF

SRBATTSLIEDBOTTOM	EXT. BTRY SLED FOR SR RCVR W/ L- or M- STYLE BTRY (NOT INCL.)	379
SR9VBP	DUAL 9V BATTERY HOLDER FOR USE WITH SRBATTSLIED	279
LRBATELIM	BATTERY ELIMINATOR FOR LR RECEIVER, NO PSU INCL.	189
LRSHOE	CAMERA SHOE MOUNT FOR LR RECEIVER	69
SRSLEEVE	MOUNTING SLEEVE FOR SR EXTERNAL MOUNT	85
SRHARDWARE	MOUNTING HARDWARE KIT FOR SR/EXT WITH SLEEVE	59
QUADPACK	DOCK FOR 2 SRA/SRA5P RECEIVERS	879
OCTOPACK	DOCK FOR 4 SRA/SRA5P RECEIVERS, BATT. NOT INCLUDED.	2749
RMP195	4CH. RACK MT F/ COMPACT RX, 195 SER (for UCR411a, IFBT4)	369

IEM (Wireless Monitor System)

M2T/E01	DIGITAL IEM TRANSMITTER WITH 2 INDEPENDENT STEREO AUDIO TRANSMISSION, WITH DANTE	2935
M2TND/E01	DIGITAL IEM TRANSMITTER WITH 2 INDEPENDENT STEREO AUDIO TRANSMISSION	2599
M2R	IEM RECEIVER WITH STEREO OR MONO OPERATION	1369
RMPM2T-1	SINGLE RACK HARDWARE KIT FOR M2T DIGITAL TRANSMITTER	109
FMAKM2T	FRONT MOUNT ANTENNA KIT FOR M2T WITH RMPM2T-1	179

IFB Equipment and Components

IFBR1A/E01*	BELT PACK RECEIVER W/ POUCH; NEW STYLE	809
IFBT4/E01*	IFB TX, BASE STATION TYPE, DIGITAL HYBRID	1219

*for antennas see "Receiver Antennas and Related Components"

Audio Cables / Connectors

CT-PLT-L24	CABLE,24",LINE LEVEL,TA5F TO XLR, FOR XLR MIXER OUTS INTO LECTROSONICS TRANSM.	75
CT-PLT-M24	CABLE,24",MIC LEVEL,TA5F TO XLR, FOR XLR MIXER OUTS INTO LECTROSONICS TRANSM.	75
MC35	CORD,37",LINE LEVEL,TA5F TO XLR	119
MC40	CORD,37",MIC LEVEL,TA5F TO XLR	119
MC51 NEW	CORD, 18", TA3F to 1/4" RIGHT ANGLE PLUG	179
MC52 NEW	CORD, 12", TA3F to TA3F	149
MC55	CORD, 15", UNBAL LINE LVL MINI PLUG TO MIC LEVEL XLR M	95
MC65	CORD,10FT,1/4 TRS TO MINI TRS	45
MC70	CABLE, 12", LINE OUT TO TX IN, 3.5MM TRS TO TA5F FOR PDR OUTPUT	89
MCAXLRLINE-WP	CABLE ADAPTER, XLR TO WP FOR MM400 (A, B, C), LINE LEVEL	125
MCABRLTA5MUWP	BARREL ADAPTER, 5-PIN MIC TO MM OR WM INPUT, UNIVERSAL	149
MCA-M30	MIC ADAPTER FOR EARTHWORKS M30 WITH HM OR UH400A/TM	119
MCSRTRS	CABLE, 2) TA3F TO 1) TRS, 12" FOR CAMERA INPUTS	95
MCLRTRS	CABLE FOR LR RECEIVER OUTPUT TO 1/8" TRS CAMERA INPUT, 18"	35
CT-SSM-T5L	6" TA5M to 3-pin Locking (LEMO) Adaptor cable for TA5F wired mics into Lectrosonics SSM transmitter	145
MCATA5MLEMO	MIC CABLE ADAPTER TA5M TO LEMO FOR SSM TX	265
CT-PCL-18B	CABLE, 18", BAL. LINE LEVEL TA3F TO TA5F, SD633/664/552/788T TO TRANSM.(@-45dB),BLUE	119
CT-PTXR-18	CABLE, 18", TA3F to XLR-3M INTERFACE CABLE	55
MCSRXLRL	CABLE, TA3F TO XLRM, 12"	119
CT-PXFT-18	CABLE, 18", XLR-3F to TA3F INTERFACE CABLE	55
MCSRXLRF	CABLE, TA3F TO XLRF, 12"	119
MCSR/5PXLR1	CABLE, TA5F TO 1) XLRM, 12" for SR/5P TO EXT. CAMERA INPUT	155
MCSR/5PXLR2	CABLE, TA5F TO 2) XLRM, 12" FOR SR/5P TO EXT. CAMERA INPUTS	229
MCSRPT	CABLE, TA3F TO TAILS, 15"	89
RATPAC	CONNECTOR KIT, RIGHT ANGLE SHELL FOR TA3/5 F	65
MI39ARA	INSTRMNT CABLE, FOR PASSIVE PICKUPS, 1/4" to TA5F, RT. ANGLE	185
MI33PRA	INSTRUMENT CABLE, FOR INSTRUMENTS WITH HIGH OUTPUTS, 1/4" TO TA5F, RT. ANGLE	229
21762	RIGHT ANGLE XLR FEM CONNECTOR, BLACK	49

Power Cables / Power Supply

BB-SR-24/1	24" HIROSE TO SINGLE RIGHT ANGLE LOCKING FOR LECTROSONICS SR RECR. & SMBATELIM	109
21586	PWR CORD, 6 FT, TINNED LEADS, LOCKING	19
21747	DC POWER CORD, 6FT, VR FIELD, STRIPPED & TINNED	35
PSLZRDUAL	PWR CABLE, 6 FT, LZR TO LZR	39
PS200A	PWR CABLE,12",HIROSE/LZR	135
PS2200A	PWR CABLE,DUAL,12",HIROSE/2LZR	199
DCR12/A5U	SWITCHING POWER SUPPLY KIT 12v 500Ma, US & INTERNATIONAL	79
DCR15/4AU	PWR SUPPLY 15V, 4A DC	125

Antennas & Cables

AMM	ANTENNA,UHF BELT-PACK TX, BLOCK SPECIFIC (for SR and SM- Series)	69
AMJ	ANTENNA, JOINTED, SMA CONNECTOR	59
ACOAXTX	ANTENNA COAXIAL, SMA PLUG FOR TRANSMITTERS	89
AMM-KIT	ANTENNA KIT WITH COLOR CAPS (for SR and SM- Series)	69
AMJ-KIT	ANTENNA, JOINTED, SMA CONNECTOR, CUT TO LENGTH BY USER	59
21793	ADAPTER, SMA RIGHT ANGLE MALE TO FEMALE FOR ANTENNA	45
21770	ANTENNA ADAPTER, MALE SMA TO FEMALE BNC	49
A500RA	ANT, UHF, RIGHT ANGLE, BLOCK SPECIFIC	45
A8U	ANT, UHF, STRAIGHT, BNC BLOCK SPECIFIC	55
A8UKIT	ANTENNA KIT W/CUTTING GUIDE	55
ACOAXBNC	COAX ANTENNA, RIGHT ANGLE BNC, 48"	99

Brutto (inkl. MwSt.) CHF

ALP500	ANT LPDA, SHARK FIN STYLE	389
ALP620	ANT LPDA, SHARK FIN STYLE, LIGHTWEIGHT	499
ALP650L/E	ANT LPDA, SHARK FIN STYLE, AMPLIFIED, 470-692MHz	879
ALP650M/E	ANT LPDA, SHARK FIN STYLE, AMPLIFIED, 537-768MHz	879
ALP650H/E	ANT LPDA, SHARK FIN STYLE, AMPLIFIED, 640-862MHz	879
SNA600A	UHF DIPOLE ANTENNA, FOLDING, W/ DC BLCKNG CAP, 470-700 MHz	199
ALPKIT	ACCESSORY MOUNTNG KIT FOR ALP/SNA	79
ARG2	CABLE, MINI COAX, 2 FT	65
ARG25	CABLE, COAX, BNC/BNC, 25 FT, LOW LOSS	259
ARG50	CABLE, COAX, BNC/BNC, 50 FT, LOW LOSS	429
ARG100	COAXIAL CABLE, 100 FT. LENGTH, LOW LOSS	549
ARX125	COAXIAL CABLE, 125 FT. LENGTH. REQUIRES RF AMPLIFIER	459

Multicouplers & Adapers

UMC16B - 230 MHZ	UHF MULTI-COUPLER, 8CH DIVERSITY; 230 MHZ BW, 538-768MHz	1599
UMC16BL - 230 MHZ	UHF MULTI-COUPLER, 8CH DIVERSITY; 230 MHZ BW, 470-700MHz	1599
UFM230L	UHF FILTER/AMP MODULE, 230MHz BANDWIDTH, 470-700MHz	559
ZSC24	PASSIVE SPLITTER, 2-WAY	99

ASPEN DSP AUDIO COMPONENTS

SPN812	DIGITAL MATRIX AUDIO PROCESSOR, 8 IN, 12 OUT, ASPEN NET	4619
SPN1612	DIGITAL MATRIX AUDIO PROCESSOR, 16 IN, 12 OUT, ASPEN NET	7949
SPN1624	DIGITAL MATRIX AUDIO PROCESSOR, 16 IN, 24 OUT, ASPEN NET	8459
SPN2412	DIGITAL MATRIX AUDIO PROCESSOR, 24 IN, 12 OUT, ASPEN NET	8589
SPNCWB	DIGITAL AUDIO PROCESSOR, TEL. HYBRID, PWR AMP, WIDEBAND	4489
SPN16i	DIGITAL MATRIX AUDIO PROCESSOR, 16 IN, ASPEN NET	4689
SPN32i	DIGITAL MATRIX AUDIO PROCESSOR, 32 IN, ASPEN NET	8639
SPNDNT	DIGITAL MATRIX ROUTER FOR DANTE AND AVB	4969
SPNTWB	DIGITAL AUDIO PROCESSOR, 8 IN, TEL. HYBRID, PWR AMP, WIDEBAND	8169

ACCESSORIES, CABLES AND PARTS FOR ASPEN & NETWORKED AUDIO SYSTEMS

21499	AC POWER CORD, FEMALE IEC320 TO US PLUG	29
21558	PLUG, CORD, F D-25 PIN	9
21580	PLUG, 5 POS, DEPLUGGABLE	15
21642	AC POWER CORD, FEMALE IEC320 TO EURO PLUG	39
21643	AC POWER CORD, FEMALE IEC320 UK PLUG	89
21644	AC POWER CORD, FEMALE IEC320 TO AUSTRALIAN PLUG	119
21713	CABLE , MB USB A2B	29
21802	CABLE, CAT6, W/FERRITE, 12" FOR CONNECTING ASPEN UNITS	65
24719	CABLE, WRAP, VELCRO, BLUE, W/LECTRO LOGO	15
35679	ADJUSTMENT TOOL, LECTRO SCREWDRIVER	9
DB2CAT5SPN	DUAL CAT5 TO DB25 ADAPTER CABLE FOR RCWPB8	139
RCWPB4	REMOTE CONTROL FOR ASPEN SERIES, FOUR BUTTONS, LEDS	339
RCWPB8	REMOTE CONTROL FOR ASPEN SERIES, EIGHT BUTTONS, LEDS	399
RCWPB8DESK	REMOTE CONTROL FOR ASPEN SERIES, 8 BUTTONS, LEDS, DESK TOP	649
RCWTH4	REMOTE CONTROL FOR SPN CONF., DESKTOP STYLE	749
RCWVLS	REMOTE VOLUME CONTROL FOR AM, DM, ASPEN SERIES	229
XLR8	JACK PANEL, XLR AND RCA FOR APSEN PRODUCTS	529

FRAGEN SIE UNS NACH DEM AKTUELLEN WÄHRUNGSRABATT / DEMANDEZ LE RABAIS DU COURS DU CHANGE

Brutto (inkl. MwSt.) CHF

MixPre-Series Recorders

MixPre-3	3 XLR input 5-track audio recorder, USB Audio Interface	↓	769
MixPre-6	4 XLR/TRS Combo input 8-track audio recorder, USB Audio Interface	↓	1129
MixPre-10T	8 XLR/TRS Combo input 12-track audio recorder with USB Audio Interface, TC generator/reader	↓	2149
MixPre-3M NEW	3 XLR input 5-track audio recorder, USB Audio Interface		699
MixPre-6M NEW	4 XLR/TRS Combo input 8-track audio recorder, USB Audio Interface		1019
MixPre-10M	8 XLR/TRS Combo input 12-track audio recorder, USB Audio Interface	↓	1799

MixPre Series Accessories

XL-2	TA3-F to XLR-M cable, package of two cables	↓	109
MX-4AA	Battery sled. Holds (4) four AA batteries		89
MX-8AA	Battery sled. Holds (8) eight AA batteries		115
MX-Lmount	Battery sled. Holds 2 Li-Ion L-mount batteries		109
XL-B2	Lithium Ion 7.2 V, 4600 mAh battery for 7-Series audio recorders, Sony L-compatible mount.		135
XL-B3	Lithium Ion 7.2 V, 6600 mAh battery, Sony L-compatible mount.	↓	159
MX-PSU	AC wall mount power supply w/USB-C connector and adapter plugs, for MixPre-3 & 6 (inkl. M-versions)		75
XL-WPH3	Power supply with Hirose 4-pin DC plug, for all 7-series recorder & MixPre-10 (inkl. M-version)		169
MX-USBY	USB-C to 2x USB-A Y-cable for powering from a computer. For MixPre recorders, not for MixPre-10(M)		55
PIX-Base	Mounting accessory for PIX-E series monitors & MixPre Series Recorders	↑	239
SAM-32SD	32GB approved SD/SDHC card for use with Sound Devices & Video Devices products		75
SAM-32CF	32GB approved Compact Flash card for use with Sound Devices audio recorders		139

Mixers with integrated Recorders

688	12-input field mixer, 16-track recording, with time code, CF and SD-slot, MixAssist, PowerSafe™, 1)	↓	6759
664	12-input field production mixer, 16 tracks recording, time code, CF and SD-slot, 1)	↓	5749
633	6-input compact mixer with integrated 10-track recorder, time code, SD & CF slot, PowerSafe™, 1)	↓	3899
633 Kit	633 with accessories, 1)	↓	4839
552	5-input field production mixer, built-in two-channel recorder (SD/SDHC card), 1)	↓	4399

 1.) +FREE OF CHARGE: [Voice Technologies VT506Mobile](#)
7-Series Audio Recorders

788T-SSD	Portable 8-input, 12-track digital audio recorder with time code, 240 GB internal SSD, CF slot, 1)	↓	7799
702T	Portable time code-enabled digital audio recorder, 2-channel, CF only, 1)	↓	3399

 1.) +FREE OF CHARGE: [Voice Technologies VT506Mobile](#)
Rackmount Audio Recorders

970	Rack-mount Audio Recorder/Player with time code. Capable of 64 track recording or playback	↓	5399
-----	--	---	------

Portable Field Mixers

MixPre-D	2-input field compact mixer	↓	1249
302	Super-compact, full-featured production mixer	↓	2099

Broadcast Essentials

MD-4	4x4 Analog-to-Dante Interface with headphone monitor	↓	1809
USBPre 2	2-channel, portable, high-resolution USB audio interface for Mac OS and Windows		1149
HX-3	Stereo headphone amplifier, three outputs		639
MM-1	Single channel, battery powered microphone preamplifier with headphone monitoring		789
MP-1	Portable, single channel microphone preamplifier		639

Accessories

SAM-32SD	32GB approved SD/SDHC card for use with Sound Devices & Video Devices products		75
SAM-32CF	32GB approved Compact Flash card for use with Sound Devices audio recorders		139
PIX-SSD6	240 GB capacity. 2.5" SSD approved for use with the PIX 220i, PIX 240i, PIX 260i & Sound Devices 970	↑	319
CL-1	Interface for connecting external keyboards to Sound Devices 7-Series audio recorders		549
CL-2	Remote 30 mm linear fader for the 788T Digital Recorders		549
CL-8	Portable Controller for Sound Devices 788T recorder for over the shoulder and cart applications	↓	1499
CL-9	Linear Fader Controller for the 788T Digital Recorder	↓	2849
CL-12	Linear Controller for 6-Series, Side Panels: Aluminium with a black anodized finish	↓	2539
CL-12 Alaia (Maple)	Linear Controller for 6-Series, Penny & Giles Faders, Side Panels: Curly Maple / Aluminium	↓	3599
CL-12 Alaia (Mahogany)	Linear Controller for 6-Series, Penny & Giles Faders, Side Panels: Mahogany / Aluminium	↓	3599
CL-6	Input Controller for 664 Field Mixer	↑	1499
SL-6	Wireless integration accessory for the 688.	↓	1839
WM-Connect	Bluetooth accessory for the Wingman™ IOS App for the 6-Series mixer/recorder		115
633-PACK	CS-633, (3) XLF-TA3, (2) XLM-TA3, (1) XL-LB2, (2) XL-B2, (1) 16 GB CF & (1) 16 GB SD card.	↓	1019
XM-CADDY PACK	incl. (2) PIX-SSD-6 240GB 2.5" SATA Drives pre mounted to (2) PIX CADDY-2	↑	1099
PIX-CADDY CF	CompactFlash Caddy interface for the PIX 260i & Sound Devices 970 Audio Recorder/Player	↑	329
PIX-CADDY 2	2.5" SSD drive caddy for PIX HD Video Recorders & Sound Devices 970 Audio Recorder/Player	↑	249
PIX-SHIM 2	Shim for use with Samsung 830 Series SSD	↑	39
PIX-RACK	Rack-Mount kit for the PIX 260i Rack-Mount Video Recorder & Sound Devices 970 Audio Recorder/Player	↑	179

Brutto (inkl. MwSt.) CHF

CS-3	Production case with high-quality strap for use with 302, 702, 702T, 722, 744T and MixPre-D	229
CS-5	Production case with high-quality strap for 552 Field Mixer, 788T Recorder or 788T with CL-8 Controller	379
CS-633	Production case for use with the 633 Field Production Mixer	329
CS-688	Production case for 688&664, holds mixer ,CL-6&SL-6 simultaneously, incl. Shoulder Strap & Rainhood	↓ 519
CS-STRAP	Portabrace model HB-15 medium duty neck strap with metal hooks. For CS-633 Production Case.	89
CS-MAN	Convenient, padded carry case with handles; fits MM-1, MP-1, HX-3, 302, 7-Series recorders	29
XL-1B	TA3-F to TA3-F cable	65
XL-TA55	552 or 664 link cable	↓ 129
XL-TA35	Links Sound Devices 302, 442 to the 552 or 664 to add inputs to master bus (L,R). TA5 to TA3.	↓ 129
XL-TA25	TA5 to 3.5mm male.	↓ 129
XL-2	TA3-F to XLR-M cable, package of two cables	↓ 109
XL-2F	XLR-F to TA3-F cable, package of two cables	↓ 109
XL-2X	TA3-F to Unisex XLR cable	169
XL-3	3.5 mm to TA3-F link cable	79
XL-3R	3.5 mm to TA3-F link cable (right-angle 3.5 mm connector)	99
XL-4	TA3-F (type) connectors, bag of four.	49
XL-10	Hirose 10-pin to two-XLR (balanced L/R) and 3.5 mm plug	399
XL-14	3.5-mm male right-angle TRS to 1/4-inch female TRS jack for headphone extension, 12-inch.	35
XL-88	788T-specific breakout cable for the DE-15 Multi-pin Connector	255
XL-LL	LEMO-5 to LEMO-5 time code cable	155
XL-LX	LEMO-5 to XLR-M and XLR-F for time code input and output	155
XL-BNC	BNC to BNC for word clock and AES3id interconnection, 24-inch.	49
XL-LB2	LEMO-5 to BNC-in and BNC-out for time code to camera jamming, 60-inch.	179
XL-1394	Power conditioner for use when powering bus powered external data drives with 702,702T,722,744T recorders	159
XL-B2	Lithium Ion 7.2 V, 4600 mAh battery for 7-Series audio recorders, Sony L-compatible mount.	135
XL-B3	Lithium Ion 7.2 V, 6600 mAh battery, Sony L-compatible mount.	↓ 159
SD-CHARGE	Charger for Sony compatible L Series batteries, Incl. wall&car charger, Euro adapter. Input voltage 110v-240v.	45
XL-DC	Coaxial power connector, raw	19
XL-H	4-pin Hirose connector	45
XL-H4	Power adapter cable, 4-pin XLR-M to 4-pin Hirose; 6 in.	115
XL-NPH	NP-type battery cup with 12-inch cable terminated in Hirose 4-pin locking DC connector (HR10-7P-4P)	135
XL-WPH3	Power supply with Hirose 4-pin DC plug, for all 7-series recorder & MixPre-10 (inkl. M-version)	169
PIX-E PSU	AC to DC Power Supply, right angle coaxial DC plug, for MM-1, HX-3 and PIX-E (replace XL-WP3)	↑ 85
XL-WP4	Universal, 66W in-line AC-to-DC power supply XLR 4-pin DC connector, for 970 recorder	185
XL-RJ	RJ-12 to RJ-12 for C. Link to C. Link 702, 702T, 722, and 744T recorder linking, 12-inch.	29
XL-K3	Fader-knob upgrade kit for CL-9	115
XL-K7	Trim-knob for 702(T), 722 & 744. Knob is grey w/ black indicator, includes two knobs, two set screws & hex key.	55
XL-K788	Trim-knob kit for 788T, knob is grey with black indicator. Includes eight knobs, eight set screws and hex key.	99
XL-K664	Trim-knob kit for 664/552, knob is grey with black indicator. Includes six knobs, six set screws and hex key.	85
XL-CAM	Camera mounting bracket for MixPre-D.	155
XL-LCD	Protective, clear Lexan LCD cover for 7-Series Digital Recorders.	55
XL-LCD6	Protective, clear LCD cover for 633, 644 & 688, package includes 4 covers	29
XL-SATA	SATA Drive Interface	185
PIX-Base	Mounting accessory for PIX-E series 4K-compatible recording monitors	↑ 239

FRAGEN SIE UNS NACH DEM AKTUELLEN WÄHRUNGSRABATT / DEMANDEZ LE RABAIS DU COURS DU CHANGE

Brutto (inkl. MwSt.) CHF

PIX-E MODELS VIDEO RECORDERS

PIX-E5	Portable 5-inch , LCD Monitor, 3G-SDI/HDMI Inputs and Outputs, Power supply included	1819
PIX-E7	Portable 7-inch , LCD Monitor, 3G-SDI/HDMI Inputs and Outputs, Power supply included	2049

PIX-E Accessories

PIX-E5 / E5H KIT II	Hardcase w/ cut foam incl. Accessories, MONITOR NOT INCLUDED.	819
PIX-E7 KIT II	Hardcase w/ cut foam incl. Accessories, MONITOR NOT INCLUDED.	819
SpeedDrive-With 240GB Drive	Media enclosure for PIX-E5 /5H & PIX-E7. Ships with 240GB mSATA SSD drive installed.	309
SpeedDrive - Empty	Media enclosure for PIX-E5 /5H & PIX-E7,no media incl., compatible with mSATA SSD drive.	85
PIX-LR	Audio interface for PIX-E Monitors, two XLR in/out, mic preamps etc.	569
PIX-E5 / 5H HOOD	Sun hood for PIX-E5(H) Portable Video Recorders; magnetic connection	59
PIX-E7 HOOD	Sun hood for PIX-E7 Portable Video Recorder; magnetic connection	59
PIX-E PSU	AC to DC Power Supply (in-line) 100 – 240 V 50/60 Hz input, 12 VDC 3.0A output	↑ 85
PIX-E DTAP	Power cable, coaxial DC plug to Anton Bauer D-Tap.	75
PIX-E HDMI FM	Right-Angle Micro to Full HDMI Coiled Cable. Length is from 11.8 to 17.7"	29
PIX-USB3 Y-CABLE	USB Y cable adapter, USB 3 Type A jack - two USB 2 Type A plugs.	29
PIX-BNC R-ADAPT	Right angle adapter BNC male - BNC female. Includes two adapters.	59
PIX-HDMI- R	Right angle adapter HDMI Type A male plug - HDMI Type A female jack. Includes two adapters.	49
PIX-Base	Mounting accessory for PIX-E series 4K-compatible recording monitors	↑ 239
PIX-E5H / E5 CASE	Hardcase w/ cut foam insert space for PIX-E5H or PIX-E5, NO PRODUCT INCLUDED.	199
PIX-E7 CASE	Hardcase w/ cut foam insert space for PIX-E7, NO PRODUCT INCLUDED.	199

Video Recorders

PIX 270i	Rack-Mount video Recorder/Player with time code	6429
PIX 270i Complete	Rack-Mount video Recorder/Player with time code with accessories	7429
PIX 250i	Rack-Mount video Recorder/Player with time code	4639
PIX 250i Complete	Rack-Mount video Recorder/Player with time code with accessories	5639

Accessories Video Recorders

XM-CADDY PACK	incl. (2) PIX-SSD-6 240GB 2.5" SATA Drives pre mounted to (2) PIX CADDY-2	↑ 1099
PIX-CADDY 2	2.5" SSD drive caddy for PIX HD Video Recorders & 970 Audio Recorder/Player	↑ 249
PIX-CADDY CF	CompactFlash Caddy interface for the PIX 250i, PIX 270i, 970	↑ 329
PIX-SSD6	240 GB capacity. 2.5" SSD approved for use with the PIX 220i, PIX 240i, PIX 250i, PIX 270i	↑ 319
PIX-SHIM 2	Shim for use with Samsung 830 Series SSD	↑ 39
PIX-DOCK	The PIX-DOCK is designed for use with the PIX CADDY and PIX-CADDY 2	529
PIX-DRIVE BAY	Rack-mount dual PIX-CADDY drive bay for the PIX 260i Production Video Recorder	299
PIX-RACK	Rack-Mount kit for the PIX 260i Rack-Mount Video Recorder & 970 Audio Recorder/Player	↑ 179
PIX-LCD	Clear Polycarbonate LCD cover for PIX HD Portable Video Field Recorders.	49
PIX-HOOD	Sun shield for PIX HD Portable Video Recorders	75
PIX-ARM	Articulating arm for mounting PIX HD Portable Video Recorders to camera	55
XL-B2	Lithium Ion 7.2 V, 4600 mAh battery for PIX and PIX-E, Sony L-compatible mount.	135
XL-B3	Lithium Ion 7.2 V, 6600 mAh battery for PIX and PIX-E, Sony L-compatible mount.	↓ 159
SD-CHARGE	Charger for Sony compatible L Series batteries, Input voltage 110v-240v.	45
XL-WPH3	Power supply with Hirose 4-pin DC plug, for PIX220i/PIX240i	169
XL-WP4	Universal, 66W in-line AC-to-DC power supply XLR 4-pin DC connector, for PIX250i/260i/270i	185
XL-AB	Anton-Bauer Power Tap to 4-pin Hirose power cable; 24 in., for PIX240i/220i	129
XL-H4	Power adapter cable, 4-pin XLR-M to 4-pin Hirose; 6 in.	115
XL-H	4-pin Hirose connector	45
XL-ESATA	eSATAp cable; 36 in.	85
XL-5	Audio breakout cable, 5-pin XLR-F to two x 3-pin XLR-M; 24 in.	129
XL-LL	LEMO-5 to LEMO-5 time code cable	155
XL-LX	LEMO-5 to XLR-M and XLR-F for time code input and output	155
XL-BNC	BNC to BNC for word clock and AES3id interconnection, 24-inch.	49
XL-LB2	LEMO-5 to BNC-in and BNC-out for time code to camera jamming, 60-inch.	179
PIX-HC1A "case only"	Rugged polymer carry case with custom cut foam insert space for a PIX 220(i) or PIX 240(i)	195